

Errata

ACERH Research Report No.9*

Original statement: Table 1 (p.5) suggests that the Hearing Handicap Inventory for Adults (HHIA) and the Assessment of Quality of Life (AQoL) instruments were administered in Survey Wave 2. Both instruments were administered in Survey Wave 1 (only).

Correction: The corrected table is as follows.

Table 1: Data Fields Collected in Waves 1 and 2

Data Field	Wave 1	Wave 2
Name, Postcode	X	X
Age	X	
Gender	X	
Marital status	X	
Education	X	
Employment	X	X
Household Income	X	
Communications (Technology Use)	X	X
Health Handicap Inventory for Adults (HHIA)	X	
Assessing Quality of Life (AQoL) Instrument	X	
Impact of CTS		X
Willingness to Pay for CTS		X
Perceptions of Willingness to Pay Questions		X

*Connelly LB, "The Australian Captioned Telephone Study", ACERH Research Report No.9, July 2010.

Original statement: The fourth column of Table 4 (p.15) reported the standard deviations of the age-disaggregated AQoL means in error.

Correction: The corrected table is as follows.

Table 4: Comparison of Sample and Population AQoL Utility Measures

Age group (years)	<i>n</i>		Means		95% Confidence	
	ACTS	Population	(Standard Deviations) ACTS	Population	Intervals ACTS	Population
15-20	1	246	- -	0.87 (0.17)	- -	0.85 0.89
20-29	8	533	0.48 (0.26)	0.87 (0.18)	0.25 0.69	0.85 0.89
30-39	9	578	0.59 (0.20)	0.85 (0.20)	0.43 0.74	0.83 0.87
40-49	23	540	0.45 (0.24)	0.85 (0.18)	0.35 0.56	0.83 0.87
50-59	20	378	0.47 (0.17)	0.80 (0.22)	0.40 0.55	0.78 0.82
60-69	31	301	0.52 (0.15)	0.79 (0.19)	0.46 0.57	0.77 0.81
70-79	13	263	0.44 (0.18)	0.75 (0.25)	0.33 0.54	0.72 0.78
80+	4	96	0.56 (0.13)	0.66 (0.29)	0.15 0.96	0.60 0.72
All ages	109	2,934	0.49 (0.20)	0.83 (0.20)	0.45 0.53	0.82 0.84

Note: ACTS data, reported in blue, are derived from 109 respondents who completed the AQoL and recorded their age.